Index to volume 8

Author index

A

Abel EA *see* Farber et al, 311
Abele DC *see* Cullison et al, 882
Ahmed AR, Salm M: Juvenile pemphigus, 799
Albright SD III: Reply to Kramer LL: Curettage in combination with cryosurgery, 422 (Correspondence)
—: Reply to Zacarian SA: Neuropathy after cryosurgery, 422 (Correspondence)
Alper JC, Welch EA, Ginsberg M, Bogaars H, Maguire P: Moist wound healing under a vapor permeable membrane, 347
Alter JN *see* Levy et al, 548 (Clinical review)
Andersen E *see* Clemmensen et al, 190
Anderson PC: Free identification of spiders for dermatologists, 562 (Correspondence)
—: Reply to Rapaport M: Dialysis and psoriasis, 427 (Correspondence)
Anderson TF *see* Mitchell et al, 673
Andresen R *see* Clemmensen et al, 190
Apisarnthanarax P *see* Subrt et al, 63
Arnold HL Jr, 745 (Contemporaries)
—: American Dermatological Association, 102nd Annual Meeting, Hot Springs, VA, May 2-6, 1982, 737
Aylesworth RJ, Vance JC: Reply to King DF, King LAC, Rabson SM: *Demodex folliculorum* of Simon, 908 (Correspondence)
Ayres S Jr, Mihan R: Vitamin E as a useful therapeutic agent, 133 (Correspondence)

B

Bach MC: Dermatologic signs in toxic shock syndrome—clues to diagnosis, 343
Baden HP *see* Rand and Baden, 285
Baer RL: The golden anniversary of The American Board of Dermatology—a half century of notable achievement, 118 (Editorial)
Bailin PL *see* Steck et al, 426 (Correspondence)
Bamford JTM: Treatment of tinea versicolor with sulfur-salicylic shampoo, 211
Bangert JL *see* Shornick et al, 214
Banks PM *see* Sanchez et al, 81
Baral J *see* Davis et al, 413
Baran R, Juhlin L: Keratodermia palmoplantare papuloverrucoides progressiva: Successful treatment with etretinate, 700
Bargman H: Sporotrichosis of the skin with spontaneous cure—report of a second case, 261 (Correspondence)
Barsky S *see* Bronson et al, 322
Bart RS *see* Trau et al, 363
Bateman CP, Umland ET, Becker LE: Cutaneous zygomycosis in a patient with lymphoma, 890
Bauer EA, Katz SI, Krueger GG: The Society for Investigative Dermatology: Essential for the future of our specialty, 117 (Editorial)
—, —, —: Reply to Pessar A: Lay groups and the Society for Investigative Dermatology, 903 (Correspondence)
— *see* Cooper et al, 463
— *see* Katz et al, 565 (Correspondence)
Becker LE *see* Bateman et al, 890
Bell DE *see* Storrs and Bell, 157
Bell M *see* Crotty et al, 255 (Correspondence)
Bender M *see* Ostrow et al, 398
Beneke ES *see* Mitchell et al, 673
Benoit AM *see* Stewart et al, 532
Bergstresser PR *see* Shornick et al, 792
Berman B *see* Cusumano et al, 207
Bernstein JE, Levine LE, Medenica MM, Yung CW, Soltani K: Reduced threshold to suction-induced blister formation in insulin-dependent diabetics, 790
Bershad S *see* Cusumano et al, 207
Berstein M *see* Schillinger and Berstein, 758 (Correspondence)
Bhawan J, Calhoun J: Premature sebaceous gland hyperplasia, 136 (Correspondence)
Bickers DR: Position paper—PUVA therapy, 265 (Special report)
Black MM *see* Holmes and Black, 405 (Clinical review)
Blank H *see* Presser et al, 127 (Correspondence)
Bleehen SS, Slater DN: Reticular erythematous mucinosis versus plaquelike cutaneous mucinosis, 125 (Correspondence)
Blough HA: Topical 2-deoxy-D-glucose for herpes simplex, 422 (Correspondence)
Bogaars H *see* Alper et al, 347
Bolton L: TENS electrode irritation, 134 (Correspondence)
Borchers SL: Treatment of chrancroid, 128 (Correspondence)
Brantley JB *see* Mora et al, 331
Breeding J *see* Lowe et al, 781
Briden ME *see* Katz et al, 850
Briggaman RA *see* Katz et al, 565 (Correspondence)
Bronson DM, Desai DR, Barsky S, Foley SM: An epidemic of infection with *Trichophyton tonsurans* revealed in a 20-year survey of fungal infections in Chicago, 322
—, Fretzin DF, Farrell LN: Congenital pilar and smooth muscle nevus, 111
Brownstein MH, Rabinowitz AD: The invisible dermatoses, 579 (Commentary)
Bruynzeel DP, van Ketel WG, von Blomberg-van der Flier M, Scheper RJ: Angry back or the excited skin syndrome, 392
Bucks DAW *see* Wester et al, 645
Burgdorf WHC *see* Padilla et al, 634
— *see* Wheeland et al, 258 (Correspondence)
Bushkell LL, Jordon RE: Bullous pemphigoid: A cause of peripheral blood eosinophilia, 648
Butler JM, Peters JE, Hirshman CA, White CR Jr, Margolin LB, Hanifin JM: Pruritic dermatitis in asthmatic basenji-greyhound dogs: A model for human atopic dermatitis, 33

C

Calhoun J *see* Bhawan and Calhoun, 136 (Correspondence)
Camisa C, Roberts W: Monsel solution tattooing, 753 (Correspondence)

January, pp. 1-140; February, pp. 141-284; March, pp. 285-438; April, pp. 439-588; May, pp. 589-762; June, pp. 763-934.

Cartwright LE, Walter JF: Psoralen-containing sunscreen is tumorigenic in hairless mice, 830
Cavalieri S *see* Leyden et al, 41
Chalker DK Jr *see* Smith and Chalker, 252 (Editorial)
Charuworn A *see* Farber et al, 311
Christianson HB *see* Storer et al, 913 (Correspondence)
Ciftan E *see* Duvic et al, 493
Circeo RB *see* Horn et al, 560 (Correspondence)
Clemmensen OJ, Andresen R, Andersen E: Plasmapheresis in the treatment of psoriasis, 190
Cochran RJ, Wilkin JK: An unusual case of calcinosis cutis, 103
Cohen IJK: Queries, 912 (Correspondence)
Colsky LC, Halprin KM, Taylor JR, Comerford M, Kramer JR: UVB is additive when repeated within an 8-hour interval, 760 (Correspondence)
Comerford M *see* Colsky et al, 760 (Correspondence)
Conant MA *see* Modlin et al, 620
Cooper KD *see* Kang et al, 372
Cooper PH, Fechner RE: Pilomatricoma-like changes in the epidermal cysts of Gardner's syndrome, 639
— *see* Swerlick and Cooper, 627
Cooper TW, Santa Cruz DJ, Bauer EA: Verruciform xanthoma, 463
Cosimi AB *see* Day et al, 864
Coskey RJ: Contact dermatitis caused by diphenhydramine hydrochloride, 204
—, Mehregan AH, Rippon JH: Wood implantation with phaeomycotic contamination, 428 (Correspondence)
Côté J, Trudel M, Gratton D: T cell chronic lymphocytic leukemia with bullous manifestations, 874
Crotty CP, Pittelkow M, Muller SA: Eosinophilic spongiosis: A clinicopathologic review of seventy-one cases, 337
— *see* Wick et al, 50
Crotty G Jr, Bell M, Estes SA, Kitzmiller KW: Cytologic features of elastosis perforans serpiginosa (EPS) associated with Down's syndrome, 255 (Correspondence)
Cullison DA, Abele DC, O'Quinn JL: Localized exogenous ochronosis, 882
— *see* Wilkin et al, 468
Cusumano D, Berman B, Bershad S: Dermatoglyphic patterns in patients with atopic dermatitis, 207

D

Dahl MV *see* Katz et al, 850
— *see* Padilla et al, 634
Daniels JC *see* Jorizzo and Daniels, 439
— *see* Jorizzo et al, 711
Davis J, Shapiro L, Baral J: Vulvitis circumscripta plasmacellularis, 413
Davis MW *see* King and Davis, 563 (Correspondence)
Dawson DV *see* Duvic et al, 493
Day CL Jr, Mihm MC Jr, Sober AJ, Harris MN, Kopf AW, Fitzpatrick TB, Lew RA, Harrist TJ, Golomb FM, Postel A, Hennessey P, Gumport SL, Raker JW, Malt RA, Cosimi AB, Wood WC, Roses DF, Gorstein F, Rigel D, Friedman RJ, Mintzis MM: Predictors of late deaths among patients with clinical stage I melanoma who have not had bony or visceral metastases within the first 5 years after diagnosis, 864
de la Bretonne G *see* Storer et al, 913 (Correspondence)
Derbes V *see* O'Donoghue et al, 123 (Correspondence)
Desai DR *see* Bronson et al, 322
Dicken CH *see* Powell and Dicken, 136 (Correspondence)
— *see* Thomas et al, 368
Dillon HC Jr: Treatment of staphylococcal skin infections: A comparison of cephalexin and dicloxacillin, 177
Di Mauro J *see* Furey et al, 679
Doré N, Synkowski D, Provost TT: Antinuclear antibody determinations in Ro(SSA)-positive, antinuclear antibody–negative lupus and Sjögren's syndrome patients, 611
Downing DT *see* Harris et al, 200
— *see* Stewart et al, 532
Duke EE: Clinical experience with pimozide: Emphasis on its use in postherpetic neuralgia, 845
Duvic M, Reisner EG, Dawson DV, Ciftan E: HLA-B15 association with erythema multiforme, 493

E

Eaglstein NF, Marley WM, Marley NF, Rosenberg EW, Hernandez AD: Gram-negative bacterial toe web infection: Successful treatment with a new third generation cephalosporin, 225
Eisenlohr JE: Glaucoma following the prolonged use of topical steroid medication to the eyelids, 878
Elewski BE, Lamb BAJ, Sams WM Jr, Gammon WR: In vivo suppression of neutrophil chemotaxis by systemically and topically administered tetracycline, 807
El-Hoshy KH: Necrolytic migratory erythema associated with diabetes mellitus, 754 (Correspondence)
Elias S *see* Esterly and Elias, 655
Ellis CN, Voorhees JJ: Meclofenamate (Meclomen) therapy of psoriasis, 759 (Correspondence)
Elton RF: Complications of cutaneous cryosurgery, 513
Eng A *see* Furey et al, 679
Epstein E: Topical clindamycin versus systemic tetracycline, 135 (Correspondence)
Epstein JH: Phototoxicity and photoallergy in man, 141
Ershler WB *see* Murphy et al, 477
Essenfeld-Yahr E *see* Goihman-Yahr et al, 429 (Correspondence)
Esterly NB: Kasabach-Merritt syndrome in infants, 504
—, Elias S: Antenatal diagnosis of genodermatoses, 655
Estes SA *see* Crotty et al, 255 (Correspondence)
— *see* Oliet and Estes, 912 (Correspondence)
Everett MA: Reply to Pierard GE, Kerl H: Dermatopathology 1982, 127 (Correspondence)
—: Reply to Wood MG: Contributors to dermatopathology, 125 (Correspondence)

F

Fairley JA, Rasmussen JE: Comparison of stratum corneum thickness in children and adults, 652
Faras AJ *see* Ostrow et al, 398
Farber EM: A call for twin pairs with psoriasis, 758 (Correspondence)
—, Abel EA, Charuworn A: Recent advances in the treatment of psoriasis, 311
Farney E *see* Gross et al, 568
Farrell LN *see* Bronson et al, 111
Fechner RE *see* Cooper and Fechner, 639
Felman YM: Reply to Borchers SL, Fitzpatrick JE: Treatment of chrancroid, 130 (Correspondence)
Feucht CL *see* Wilkin et al, 468
Fisher M *see* Levy et al, 548 (Clinical review)
Fitzpatrick JE: Treatment of chrancroid, 130 (Correspondence)
Fitzpatrick TB *see* Day et al, 864
Foley LM, Lowe NJ, Misheloff E, Tiwari JL: Association of HLA-DR4 with vitiligo, 39
Foley SM *see* Bronson et al, 322

Frankel EB: Public education versus cost-effectiveness to dermatology access, 911 (Correspondence)
Freeman RG *see* Shornick et al, 214
Fretzin DF *see* Bronson et al, 111
Friedman RJ *see* Day et al, 864
— *see* Trau et al, 363
Furey N, Di Mauro J, Eng A, Shaw J: Multicentric reticulohistiocytosis with salivary gland involvement and pericardial effusion, 679

G

Gammon WR *see* Elewski et al, 807
Ganor S: Corticosteroid therapy for pernio, 136 (Correspondence)
Gilliam JN *see* Shornick et al, 214, 792
Ginsberg M *see* Alper et al, 347
Glickman FS: Nail fold capillary microscopy, 262 (Correspondence)
—: Sporotrichoid mycobacterial infections, 703
Goihman-Yahr M, Rothemberg A, Essenfeld-Yahr E: Erythema multiforme and ketotifen, 429 (Correspondence)
Goldsmith S: Vitamin E and onychomycosis, 910 (Correspondence)
Golomb FM *see* Day et al, 864
Goltz RW *see* Katz et al, 850
Gombert ME *see* Silber et al, 236
Gonzalez EB *see* Jorizzo et al, 711
Gordon HH: Photosensitivity to saccharin, 565 (Correspondence)
Gorstein F *see* Day et al, 864
Granerus G *see* Roupe et al, 137 (Correspondence)
Gratton D *see* Côté et al, 874
Green KM *see* Silber et al, 236
Greene SL *see* Thomas et al, 368
Gross PR, Farney E, Vandersteen P: Noah Worcester Dermatological Society, Twenty-fifth Annual Meeting, Key Biscayne, FL, March 7-13, 1982, 568
Grossman ME *see* Troyer et al, 724
Guin JD, Haffley P: Sensitivity to α-amylcinnamic aldehyde and α-amylcinnamic alcohol, 76; 397 (correction)
Gulbas N *see* Nusbaum et al, 386
Gumport SL *see* Day et al, 864

H

Haffley P *see* Guin and Haffley, 76; 397 (correction)
Halasz CLG, Leach EE, Walther RR, Poh-Fitzpatrick MB: Hydroa vacciniforme: Induction of lesions with ultraviolet A, 171
Halprin KM *see* Colsky et al, 760 (Correspondence)
Hanifin JM: Diet, nutrition, and allergy in atopic dermatitis, 729 (Editorial)
— *see* Butler et al, 33
— *see* Kang et al, 372
Harris HH, Downing DT, Stewart ME, Strauss JS: Sustainable rates of sebum secretion in acne patients and matched normal control subjects, 200
Harris MN *see* Day et al, 864
Harrist TJ *see* Day et al, 864
Hasan T, Jansén CT: Erythroderma: A follow-up of fifty cases, 836
Hassan C *see* Horn et al, 560 (Correspondence)
Head ES *see* Subrt et al, 63
Helwig EB *see* Mandojana and Helwig, 813
Heng MCY *see* King et al, 258 (Correspondence)
Hennessey P *see* Day et al, 864
Herman PS: Punctate porokeratosis, 257 (Correspondence)
Hernandez AD *see* Eaglstein et al, 225
Hernandez-Perez E: Resistance to antiscabietic drugs, 121 (Correspondence)
Hien NT *see* Katz et al, 850
Hirshman CA *see* Butler et al, 33
Hofman FM *see* Modlin et al, 182, 620
Holmes RC, Black MM: The specific dermatoses of pregnancy, 405 (Clinical review)
Hood AF: Reply to Borchers SL, Fitzpatrick JE: Treatment of chrancroid, 132 (Correspondence)
Horn MS, Circeo RB, Hassan C: Radiographic artifacts produced by silver nitrate and Monsel's solution, 560 (Correspondence)
Horwitz SN *see* Nusbaum et al, 386
Hoshaw RA *see* Wheeland et al, 258 (Correspondence)
Hudson LD: Granuloma faciale: Treatment with topical psoralen and UVA, 559 (Correspondence)
Huff JC, Weston WL, Tonnesen MG: Erythema multiforme: A critical review of characteristics, diagnostic criteria, and causes, 763
Hughes GS Jr, Park HK, Jones BE: Partial unilateral lentiginosis in a black patient with sickle cell anemia, 563 (Correspondence)
Huntley AC: Reply to Hurwitz RM: Perforating folliculitis in peritoneal and hemodialysis, 560 (Correspondence)
Hurwitz RM: Perforating folliculitis in peritoneal and hemodialysis, 559 (Correspondence)
Hurwitz S, Kahn G: IXth Postgraduate Seminar in Pediatric Dermatology, Miami, FL, Feb. 25-28, 1982, 271

J

Jansén CT *see* Hasan and Jansén, 836
Jetton RL, Lazarus GS: Minidose heparin therapy for vasculitis of atrophie blanche, 23
— *see* Lazarus and Jetton, 904 (Correspondence)
Jones BE *see* Hughes et al, 563 (Correspondence)
Jordon RE *see* Bushkell and Jordon, 648
Jorgensen H *see* Katz et al, 132 (Correspondence)
Jorizzo JL, Daniels JC: Dermatologic conditions reported in patients with rheumatoid arthritis, 439
—, Gonzalez EB, Daniels JC: Red lunulae in a patient with rheumatoid arthritis, 711
— *see* Subrt et al, 63
Juhlin L *see* Baran and Juhlin, 700

K

Kahn G *see* Hurwitz and Kahn, 271
Kang K, Cooper KD, Hanifin JM: Thymopoietin pentapeptide (TP-5) improves clinical parameters and lymphocyte subpopulations in atopic dermatitis, 372
Kaplan RP, Russell DH, Lowe NJ: Etretinate therapy for psoriasis: Clinical responses, remission times, epidermal DNA and polyamine responses, 95
Katz HI, Hien NT, Prawer SE, Goltz RW, Manick KP, Dahl MV, Briden ME: A three-dimensional photography system for dermatologic diagnosis, 850
Katz RA, Jorgensen H, Nigra TP: Flare of cystic acne from oral isotretinoin, 132 (Correspondence)
Katz SI, Bauer EA, Lazarus GS, McGuire JS Jr, Briggaman RA, Sulica V: Mr. Kozak's regime for epidermolysis bullosa, 565 (Correspondence)
— *see* Bauer et al, 117 (Editorial); 903 (Correspondence)
Kawashima M *see* Ostrow et al, 398
Keeling JH, Lewis CW: In vitro analysis of lymphocytes: Markers and functions, 239 (Clinical review)
Kempf RA *see* Modlin et al, 620
Kerl H: Dermatopathology 1982, 126 (Correspondence)

King DF, Davis MW: Cupping: An erstwhile common modality of therapy, 563 (Correspondence)
—, King LAC: Sundamina of Robinson, 910 (Correspondence)
—, —, Rabson SM: *Demodex folliculorum* of Simon, 907 (Correspondence)
—, Wolfish PS, Heng MCY: The much-maligned dhobie, 258 (Correspondence)
King LAC *see* King et al, 907 (Correspondence)
— *see* King and King, 910 (Correspondence)
King LE Jr *see* Quiroz-Kendall et al, 46
Kishiyama K *see* Watanabe et al, 663
Kitzmiller KW *see* Crotty et al, 255 (Correspondence)
Klemp P *see* Staberg et al, 193
Kligman AM *see* Leyden et al, 41
Kopf AW, Rosenthal LE, Levit F: DERM/MIS update, 732 (Special article)
— *see* Day et al, 864
— *see* Trau et al, 363
Koransky JS, Roenigk HH Jr: Reply to Powell FC, Dicken CH: Vitiligo and psoriasis, 137 (Correspondence)
Koudsi H *see* Lowe et al, 781
Kramer JR *see* Colsky et al, 760 (Correspondence)
Kramer LL: Curettage in combination with cryosurgery, 422 (Correspondence)
Krueger GG *see* Bauer et al, 117 (Editorial); 903 (Correspondence)
Krusinski PA *see* Murphy et al, 477
Kulick KB, Mogavero H Jr, Provost TT, Reichlin M: Serologic studies in patients with lupus erythematosus and psoriasis, 631
Kumakiri M, Muramoto F, Tsukinaga I, Yoshida T, Ohura T, Miura Y: Crystalline lamellae in the endothelial cells of a type of hemangioma characterized by the proliferation of immature endothelial cells and pericytes—angioblastoma (Nakagawa), 68

L

Lamb BAJ *see* Elewski et al, 807
Lancer HA, Muhlbauer JE, Sober AJ: Multiple agminated spindle cell nevi: Unique clinical presentation and review, 707
Lane AT, Wachs GN, Weston WL: Once-daily treatment of psoriasis with topical glucocorticosteroid ointments, 523
Lazarus GS, Jetton RL: Reply to Wilkin JK: Perilesional heparin injections for necrobiosis lipoidica, 904 (Correspondence)
— *see* Jetton and Lazarus, 23
— *see* Katz et al, 565 (Correspondence)
Leach EE *see* Halasz et al, 171
Lepage JC: Source of Majocchi's granuloma, 260 (Correspondence)
LePaw MI: Fixed drug eruption due to minocycline—report of one case, 263 (Correspondence)
Leu F: Complications from prolonged topical steroid therapy, 425 (Correspondence)
Levenson I: Topical clindamycin versus systemic tetracycline, 431 (Correspondence)
Levenstein M *see* Trau et al, 363
Levine J *see* Trau et al, 363
Levine LE *see* Bernstein et al, 790
Levit F, Scott MJ Jr: Circle hairs, 423 (Correspondence)
— *see* Kopf et al, 732 (Special article)
Levy RS, Fisher M, Alter JN: Penicillamine: Review and cutaneous manifestations, 548 (Clinical review)
Lew RA *see* Day et al, 864
Lewis CW *see* Keeling and Lewis, 239 (Clinical review)
Leyden JJ, McGinley KJ, Cavalieri S, Webster GF, Mills OH, Kligman AM: *Propionibacterium acnes* resistance to antibiotics in acne patients, 41
Lipman S *see* Oseroff et al, 616
Livingood CS: Reply to King et al: The much-maligned dhobie, 258 (Correspondence)
Lorincz AL *see* Raab and Lorincz, 124, 757 (Correspondence)
Lowe NJ, Wortzman MS, Breeding J, Koudsi H, Taylor L: Coal tar phototherapy for psoriasis reevaluated: Erythemogenic versus suberythemogenic ultraviolet with a tar extract in oil and crude coal tar, 781
— *see* Foley et al, 39
— *see* Kaplan et al, 95
Lucky PA, Skovby F, Thier SO: Pemphigus foliaceus and proteinuria induced by α-mercaptopropionylglycine, 667
Lutz J *see* Ring et al, 378
Lyell A: Aryl hydrocarbon hydroxylase in psoriasis, 260 (Correspondence)
—: Delusions of parasitosis, 895 (Editorial)
Lynfield YL *see* O'Donoghue et al, 123 (Correspondence)

M

McCray MK, Zugerman C: Reply to Blough HA: Topical 2-deoxy-D-glucose for herpes simplex, 423 (Correspondence)
McDonald SG, Peterka ES: Porokeratosis (Mibelli): Treatment with topical 5-fluorouracil, 107
McElgunn PSJ: Dermatologic manifestations of hepatitis B virus infection, 539 (Clinical review)
McGinley KJ *see* Leyden et al, 41
McGinnis MR: Chromoblastomycosis and phaeohyphomycosis: New concepts, diagnosis, and mycology, 1
McGuire JS Jr *see* Katz et al, 565 (Correspondence)
Maguire P *see* Alper et al, 347
Maibach HI *see* Wester et al, 645
Maize JC: Primary cutaneous malignant melanoma, 857 (Clinical review)
Malt RA *see* Day et al, 864
Manabe M, Yoshiike T, Negi M, Ogawa H: Successful therapy of ichthyosis linearis circumflexa with PUVA, 905 (Correspondence)
Mandojana RM, Helwig EB: Localized epidermotropic reticulosis (Woringer-Kolopp disease), 813
Manick KP *see* Katz et al, 850
Margolin LB *see* Butler et al, 33
Marley NF *see* Eaglstein et al, 225
Marley WM *see* Eaglstein et al, 225
Masu S, Seiji M: Pigmentary incontinence in fixed drug eruptions, 525
Medenica MM *see* Bernstein et al, 790
Mehregan AH *see* Coskey et al, 428 (Correspondence)
Mihan R *see* Ayres and Mihan, 133 (Correspondence)
Mihm MC Jr *see* Day et al, 864
Millikan LE *see* Storer et al, 913 (Correspondence)
Mills OH *see* Leyden et al, 41
Minkin W: Reply to Glickman FS: Nail fold capillary microscopy, 262 (Correspondence)
Mintzis MM *see* Day et al, 864
— *see* Trau et al, 363
Misheloff E *see* Foley et al, 39

Mitchell AJ, Solomon AR, Beneke ES, Anderson TF: Subcutaneous alternariosis, 673
Miura Y *see* Kumakiri et al, 68
Modlin RL, Hofman FM, Kempf RA, Taylor CR, Conant MA, Rea TH: Kaposi's sarcoma in homosexual men: An immunohistochemical study, 620
—, —, Taylor CR, Rea TH: T lymphocyte subsets in the skin lesions of patients with leprosy, 182
Mogavero H Jr *see* Kulick et al, 631
Mora RG: Microscopically controlled surgery (Mohs' chemosurgery) for treatment of verrucous squamous cell carcinoma of the foot (epithelioma cuniculatum), 354
—, Nesbitt LT Jr, Brantley JB: Lichen planus pemphigoides: Clinical and immunofluorescent findings in four cases, 331
Morhenn VB *see* Oseroff et al, 616
Muhlbauer JE *see* Lancer et al, 707
Mukai K *see* Padilla et al, 634
Muller SA *see* Crotty et al, 337
— *see* Randle and Muller, 869
— *see* Sanchez et al, 81
Muramoto F *see* Kumakiri et al, 68
Murphy GF, Krusinski PA, Myzak LA, Ershler WB: Local immune responses in basal cell carcinoma: Characterization by transmission electron microscopy and monoclonal anti-T6 antibody, 477
Myzak LA *see* Murphy et al, 477

N

Nakamoto S *see* Steck et al, 426 (Correspondence)
Negi M *see* Manabe et al, 905 (Correspondence)
Nesbitt LT Jr *see* Mora et al, 331
Nicholes BK *see* Shornick et al, 792
Nieland ML *see* Silverman and Nieland, 153
Nigra TP *see* Katz et al, 132 (Correspondence)
Niimura M *see* Ostrow et al, 398
Nusbaum BP, Gulbas N, Horwitz SN: Sporotrichosis acquired from a cat, 386

O

O'Donoghue MN, Lynfield YL, Derbes V: Ochronosis due to hydroquinone, 123 (Correspondence)
Ogawa H *see* Manabe et al, 905 (Correspondence)
Ohkawara A *see* Watanabe et al, 663
Ohura T *see* Kumakiri et al, 68
Olafson JH *see* Roupe et al, 137 (Correspondence)
Olansky AJ: A better stain for Tzanck smears, 908 (Correspondence)
Olansky S: Reply to Fitzpatrick JE: Treatment of chancroid, 131 (Correspondence)
Oliet EJ, Estes SA: Reply to Silver SE: Perianal comedones and topical corticosteroids, 912 (Correspondence)
O'Quinn JL *see* Cullison et al, 882
Oseroff AR, Roth R, Lipman S, Morhenn VB: Use of a murine monoclonal antibody which binds to malignant keratinocytes to detect tumor cells in microscopically controlled surgery, 616
Ostrow RS, Watts S, Bender M, Niimura M, Seki T, Kawashima M, Pass F, Faras AJ: Identification of three distinct papillomavirus genomes in a single patient with epidermodysplasia verruciformis, 398

P

Padilla RS, Mukai K, Dahl MV, Burgdorf WH, Rosai J: Differential staining pattern of lysozyme in palisading granulomas: An immunoperoxidase study, 634
Paganini E *see* Steck et al, 426 (Correspondence)
Pagano JS: Use of topical acyclovir, 756 (Correspondence)
Pariser RJ: Diagnosis of spongiotic vesicular dermatitis by Tzanck smear: The "tadpole cell," 519
Park HK *see* Hughes et al, 563 (Correspondence)
Pass F *see* Ostrow et al, 398
Perret WJ *see* Storer et al, 913 (Correspondence)
Perry HO *see* Spear et al, 486
Pessar A: Lay groups and the Society for Investigative Dermatology, 903 (Correspondence)
Peterka ES *see* McDonald and Peterka, 107
Peters GE *see* Wilkin et al, 468
Peters JE *see* Butler et al, 33
Pierard GE: Dermatopathology 1982, 126 (Correspondence)
Pittelkow MR *see* Crotty et al, 337
— *see* Sanchez et al, 81
Poh-Fitzpatrick MB: The importance of correct diagnosis in variegate porphyria, 115 (Editorial)
— *see* Halasz et al, 171
Polano MK: Pediculosis therapy, 120 (Correspondence)
Postel A *see* Day et al, 864
Powell FC, Dicken CH: Vitiligo and psoriasis, 136 (Correspondence)
Prawer SE *see* Katz et al, 850
Presser SE, Blank H, Ziboh VA: Essential fatty acid deficiency after intestinal bypass, 127 (Correspondence)
Provost TT *see* Doré et al, 611
— *see* Kulick et al, 631

Q

Quiroz-Kendall E, Wilson FA, King LE Jr: Acute variegate porphyria following a Scarsdale Gourmet Diet, 46

R

Raab B, Lorincz AL: Reply to Pagano JS: Use of topical acyclovir, 757 (Correspondence)
—, —: Topical acyclovir caution, 124 (Correspondence)
Rabhan NB: Intravenous adrenocorticotropic hormone (ACTH) and/or intravenous methyl prednisolone may prevent perforation of colon in high-dose corticosteroid therapy of pemphigus, 904 (Correspondence)
Rabinowitz AD: Multiple large cell acanthomas, 840
— *see* Brownstein and Rabinowitz, 579 (Commentary)
Rabson SM *see* King et al, 907 (Correspondence)
Raker JW *see* Day et al, 864
Rand RE, Baden HP: The ichthyoses—a review, 285
Randle HW, Muller S: Generalized elastolysis associated with systemic lupus erythematosus, 869
Rapaport M: Dialysis and psoriasis, 426 (Correspondence)
Rapini RP *see* Stewart et al, 532
Rasmussen JE *see* Fairley and Rasmussen, 652
Raymond GP: Reply to Epstein E: Topical clindamycin versus systemic tetracycline, 135 (Correspondence)
—: Reply to Levenson I: Topical clindamycin versus systemic tetracycline, 432 (Correspondence)
Rea TH *see* Modlin et al, 182, 620
Reed KM, Sober AJ: Methotrexate-induced necrolysis, 677
Reichlin M *see* Kulick et al, 631
Reinhardt L, Wilkin JK, Tausend R: Vascular abnormalities in lichen aureus, 417
Reisner EG *see* Duvic et al, 493
Rigel DS *see* Day et al, 864
— *see* Trau et al, 363
Ring J, Lutz J: Decreased release of lysosomal enzymes from peripheral leukocytes of patients with atopic dermatitis, 378

Rippon JH *see* Coskey et al, 428 (Correspondence)
Roberts W *see* Camisa and Roberts, 753 (Correspondence)
Robins DS: Composition and SPF of Eclipse, 907 (Correspondence)
Rodriquez-Rigau LJ *see* Wilkin et al, 468
Roenigk HH Jr *see* Koransky and Roenigk, 137 (Correspondence)
— *see* Scott and Roenigk, 27
Rogers G *see* Trau et al, 363
Rosai J *see* Padilla et al, 634
Rosenberg EW *see* Eaglstein et al, 225
Rosenblum GA: Liquid nitrogen cryotherapy in a case of elastosis perforans serpiginosa, 718
Rosenthal LE *see* Kopf et al, 732 (Special article)
Roses DF *see* Day et al, 864
Rossing N *see* Staberg et al, 193
Roth R *see* Oseroff et al, 616
Rothemberg A *see* Goihman-Yahr et al, 429 (Correspondence)
Roupe G, Granerus G, Olafson JH: Urticaria pigmentosa or systemic mastocytosis, 137 (Correspondence)
Rousseau A: Canthaxanthine deposits in the eye, 123 (Correspondence)
Rudolph RI: Lichen aureus, 722
Russell DH *see* Kaplan et al, 95

S

Salasche SJ: Curettage and electrodesiccation in the treatment of midfacial basal cell epithelioma, 496
Salem OS, Steck WD: Cowden's disease (multiple hamartoma and neoplasia syndrome), 686
Salm M *see* Ahmed and Salm, 799
Sams WM Jr *see* Elewski et al, 807
Sanchez NP, Pittelkow MR, Muller SA, Banks PM, Winkelmann RK: The clinicopathologic spectrum of lymphomatoid papulosis: Study of 31 cases, 81
— *see* Wick et al, 50
Santa Cruz DJ *see* Cooper et al, 463
Scheper RJ *see* Bruynzeel et al, 392
Schillinger BM, Berstein M: Boric acid–free products, 758 (Correspondence)
Scott MJ Jr, Roenigk HH Jr: Hair casts: Classification, staining characteristics, and differential diagnosis, 27
— *see* Levit and Scott, 423 (Correspondence)
Seiji M *see* Masu and Seiji, 525
Seki T *see* Ostrow et al, 398
Shalita AR *see* Silber et al, 236
Shapiro L *see* Davis et al, 413
Shaw J *see* Furey et al, 679
Shelley WB, 280 (Contemporaries)
—: Hair examination using double-stick tape, 430 (Correspondence)
—, Sica PA, Jr: Disseminate sporotrichosis of skin and bone cured with 5-fluorocytosine: Photosensitivity as a complication, 229
—, Zolin WD: Disseminate intradermal bacterial colonization presenting as palpable purpura in lymphoblastic leukemia, 714
Sheridan PJ *see* Spear et al, 486
Shornick JK, Bangert JL, Freeman RG, Gilliam JN: Herpes gestationis: Clinical and histologic features of twenty-eight cases, 214
—, Nicholes BK, Bergstresser PR, Gilliam JN: Idiopathic atrophie blanche, 792
Sica PA Jr *see* Shelley and Sica, 229
Silber JG, Gombert ME, Green KM, Shalita AR; Treatment of chromomycosis with ketoconazole and 5-fluorocytosine, 236
Silver SE: Perianal comedones and topical corticosteroids, 912 (Correspondence)
Silverman AR, Nieland ML: Hot tub dermatitis: A familial outbreak of *Pseudomonas* folliculitis, 153
Silvers DN *see* Troyer et al, 724
Skovby F *see* Lucky et al, 667
Slater DN *see* Bleehen and Slater, 125 (Correspondence)
Smith EB *see* Subrt et al, 63
Smith JG Jr, Chalker DK Jr: Should dermatologists be immunized against hepatitis B, 252 (Editorial)
—: Reply to Cohen IJK: Queries, 912 (Correspondence)
— *see* Wilkin et al, 468
Sober AJ *see* Day et al, 864
— *see* Lancer et al, 707
— *see* Reed and Sober, 677
Solomon AR *see* Mitchell et al, 673
Soltani K *see* Bernstein et al, 790
Spear KL, Sheridan PJ, Perry HO: Sinus tracts to the chin and jaw of dental origin, 486
Sperling LC: Reply to King DF, King LAC: Sudamina of Robinson, 910 (Correspondence)
Staberg B, Worm A-M, Klemp P, Rossing N: Transvascular transport and distribution of fluid and protein in psoriasis, 193
Steck WD, Bailin PL, Nakamoto S, Paganini E: Reply to Rapaport M: Dialysis and psoriasis, 426 (Correspondence)
— *see* Salem and Steck, 686
Stewart ME, Benoit AM, Stranieri AM, Rapini RP, Strauss JS, Downing DT: Effect of oral 13-*cis*-retinoic acid at three dose levels on sustainable rates of sebum secretion and on acne, 532
— *see* Harris et al, 200
Stoll DM: Treatment of cutaneous pseudolymphoma with hydroxychloroquine, 696
Storer JS, Christianson HB, Perret WJ, de la Bretonne G, Millikan LE: Histiocytosis X and skin scraping cytology, 913 (Correspondence)
Storrs FJ, Bell DE: Allergic contact dermatitis to 2-bromo-2-nitropropane-1,3-diol in a hydrophilic ointment, 157
Stranieri AM *see* Stewart et al, 532
Strauss JS *see* Harris et al, 200
— *see* Stewart et al, 532
Subrt P, Jorizzo JL, Apisarnthanarax P, Head ES, Smith EB: Spreading pigmented actinic keratosis, 63
Sulica V *see* Katz et al, 565 (Correspondence)
Sutton JD: The sunscreening effect of topical sunflower oil, 909 (Correspondence)
Swerlick RA, Cooper PH: Pyogenic granuloma (lobular capillary hemangioma) within port-wine stains, 627
Synkowski D *see* Doré et al, 611

T

Taplin D: Reply to Hernandez-Perez E: Resistance to antiscabietic drugs, 122 (Correspondence)
—: Reply to Polano MK: Pediculosis therapy, 120 (Correspondence)
Tausend R *see* Reinhardt et al, 417
Taylor CR *see* Modlin et al, 182, 620
Taylor JR *see* Colsky et al, 760 (Correspondence)
Taylor L *see* Lowe et al, 781
Thier SO *see* Lucky et al, 667
Thiers BH: Reply to Zackheim HS: Is mycosis fungoides a unique lymphoma, 257 (Correspondence)
—: Unusual treatments for herpesvirus infections. II. Herpes zoster, 433 (Correspondence)
Thomas JR III, Greene SL, Dicken CH: Factitious cheilitis, 368

Tiwari JL *see* Foley et al, 39
Tonnesen MG *see* Huff et al, 763
Trau H, Kopf AW, Rigel DS, Levine J, Rogers G, Levenstein M, Bart RS, Mintzis MM, Friedman RJ: Regression in malignant melanoma, 363
Troyer C, Grossman ME, Silvers DN: Erythema marginatum in rheumatic fever: Early diagnosis by skin biopsy, 724
Trudel M *see* Côté et al, 874
Tsukinaga I *see* Kumakiri et al, 68

U

Umland ET *see* Bateman et al, 890
Urbanek RW: Tar vitiligo therapy, 755 (Correspondence)

V

Vance JC *see* Aylesworth and Vance, 908 (Correspondence)
Vandersteen P *see* Gross et al, 568
van Ketel WG *see* Bruynzeel et al, 392
von Blomberg-van der Flier M *see* Bruynzeel et al, 392
Voorhees JJ: The Dermatology Foundation: Facts and fiction, 897 (Editorial)
— *see* Ellis and Voorhees, 759 (Correspondence)

W

Wachs GN *see* Lane et al, 523
Walter JF *see* Cartwright and Walter, 830
Walther RR *see* Halasz et al, 171
Watanabe M, Kishiyama K, Ohkawara A: Acquired progressive lymphangioma, 663
Watts S *see* Ostrow et al, 398
Webster GF *see* Leyden et al, 41
Weigand DA: Reply to Lepage JC: Source of Majocchi's granuloma, 260 (Correspondence)
Welch EA *see* Alper et al, 347
Wester RC, Bucks DAW, Maibach HI: In vivo percutaneous absorption of hydrocortisone in psoriatic patients and normal volunteers, 645
Weston WL *see* Huff et al, 763
— *see* Lane et al, 523
Wheeland RG, Burgdorf WHC, Hoshaw RA: A quick Tzanck smear, 258 (Correspondence)
—: Reply to Olansky AJ: A better stain for Tzanck smears, 908 (Correspondence)
White CR Jr *see* Butler et al, 33
White SW: A warty condition of the umbilicus, 421 (Correspondence)
Wick MR, Sanchez NP, Crotty CP, Winkelmann RK: Cutaneous malignant histiocytosis: A clinical and histopathologic study of eight cases, with immunohistochemical analysis, 50
Wilkin JK: Perilesional heparin injections for necrobiosis lipoidica, 904 (Correspondence)
—, Smith JG Jr, Cullison DA, Peters GE, Rodriquez-Rigau LJ, Feucht CL: Unilateral dermatomal superficial telangiectasia, 468
— *see* Cochran and Wilkin, 103
— *see* Reinhardt et al, 417
Wilson FA *see* Quiroz-Kendall et al, 46
Winkelmann RK: Reply to Yus ES: Basal cell tumor with eccrine differentiation, 260 (Correspondence)
— *see* Sanchez et al, 81
— *see* Wick et al, 50
Wolfish PS *see* King et al, 258 (Correspondence)
Wood MG: Contributors to dermatopathology, 125 (Correspondence)
Wood WC *see* Day et al, 864
Worm A-M *see* Staberg et al, 193
Wortzman MS *see* Lowe et al, 781

Y

Yoshida T *see* Kumakiri et al, 68
Yoshiike T *see* Manabe et al, 905 (Correspondence)
Yung CW *see* Bernstein et al, 790
Yus ES: Basal cell tumor with eccrine differentiation, 259 (Correspondence)

Z

Zacarian SA: Neuropathy after cryosurgery, 422 (Correspondence)
Zackheim HS: Is mycosis fungoides a unique lymphoma, 256 (Correspondence)
—: Prolonged topical maintenance therapy for mycosis fungoides, 562 (Correspondence)
Ziboh VA *see* Presser et al, 127 (Correspondence)
Zolin WD *see* Shelley and Zolin, 714
Zugerman C: Reply to Bolton L: TENS electrode irritation, 135 (Correspondence)
— *see* McCray and Zugerman, 423 (Correspondence)

Subject index

A

Abnormalities, vascular, in lichen aureus (Reinhardt et al), 417
Abstracts, 651
Acanthomas, multiple large cell (Rabinowitz), 840
Acanthosis and xanthoma cells; verruciform xanthoma (Cooper et al), 463
Acne, cystic, flare of, from oral isotretinoin (Katz et al), 132 (Correspondence)
  effect of oral 13-*cis*-retinoic acid at three dose levels on sustainable rates of sebum secretion and (Stewart et al), 532
  patients and matched normal control subjects, sustainable rates of sebum secretion in (Harris et al), 200
  Propionibacterium acnes resistance to antibiotics in (Leyden et al), 41
Actinic keratosis, spreading pigmented (Subrt et al), 63
Acyclovir, topical, caution (Raab and Lorincz), 124 (Correspondence)
  use of (Pagano), 756 (Correspondence)
    reply (Raab and Lorincz), 757 (Correspondence)
Adrenocorticotropic hormone (ACTH) or intravenous methyl prednisolone or both may prevent perforation of colon in high-dose corticosteroid therapy of pemphigus (Rabhan), 904 (Correspondence)
Alcohol, α-amylcinnamic, and α-amylcinnamic aldehyde, sensitivity to (Guin and Haffley), 76; 397 (correction)
Alcoholism, chronic hepatic disease in, acquired unilateral dermatomal superficial telangiectasia in (Wilkin et al), 468
Aldehyde, α-amylcinnamic, and α-amylcinnamic alcohol, sensitivity to (Guin and Haffley), 76; 397 (correction)
Alkaptonuria; localized exogenous ochronosis (Cullison et al), 882
Allergens eliciting weak positive reactions; angry back or excited skin syndrome (Bruynzeel et al), 392
Allergic contact dermatitis to 2-bromo-2-nitropropane-1,3-diol in hydrophilic ointment (Storrs and Bell), 157
Allergy, diet, nutrition and, in atopic dermatitis (Hanifin), 729 (Editorial)
Alternaria alternata; subcutaneous alternariosis (Mitchell et al), 673
Alternaria dianthicola, first reported human infection with; subcutaneous alternariosis (Mitchell et al), 673
Alternariosis, subcutaneous (Mitchell et al), 673
Amelanosis, prognostic significance in primary cutaneous malignant melanoma (Maize), 857
American Board of Dermatology, The, golden anniversary—half century of notable achievement (Baer), 118 (Editorial)
  Dermatological Association, 102nd Annual Meeting, Hot Springs, VA, May 2-6, 1982 (Arnold), 737
α-Amylcinnamic aldehyde and α-amylcinnamic alcohol, sensitivity to (Guin and Haffley), 76; 397 (correction)
Amyloidosis, macular; invisible dermatoses (Brownstein and Rabinowitz), 581 (Commentary)
Anemia, sickle cell, partial unilateral lentiginosis in black patient with (Hughes et al), 563 (Correspondence)
Anetoderma; invisible dermatoses (Brownstein and Rabinowitz), 585 (Commentary)
Angioblastoma—crystalline lamellae in endothelial cells of type of hemangioma characterized by proliferation of immature endothelial cells and pericytes (Kumakiri et al), 68
Angry back or excited skin syndrome (Bruynzeel et al), 392
Anthralin; recent advances in treatment of psoriasis (Farber et al), 312
Antibiotics, *Propionibacterium acnes* resistance to, in acne patients (Leyden et al), 41
Antibodies, monoclonal, used in study of lymphocyte subsets in tissues of patients with leprosy (Modlin et al), 182
Antinuclear antibody determinations in Ro(SSA-positive), antinuclear antibody–negative lupus and Sjögren's syndrome patients (Doré et al), 611
Argyria; invisible dermatoses (Brownstein and Rabinowitz), 584 (Commentary)
Arnold, Harry L., Jr., 745 (Contemporaries)
Arthritic manifestations, cardiac and, in patient with erythema marginatum associated with rheumatic fever (Troyer et al), 724
Arthritis, rheumatoid, dermatologic conditions reported in patients with (Jorizzo and Daniels), 439
  red lunulae in patient with (Jorizzo et al), 711
Aryl hydrocarbon hydroxylase in psoriasis (Lyell), 260 (Correspondence)
Asthmatic basenji-greyhound dogs, pruritic dermatitis in; model for human atopic dermatitis (Butler et al), 33
Atopic dermatitis, dermatoglyphic patterns in patients with (Cusumano et al), 207
  thymopoietin pentapeptide (TP-5) improves clinical parameters and lymphocyte subpopulations in (Kang et al), 372
Atrophie blanche, idiopathic (Shornick et al), 792
  minidose heparin therapy for vasculitis of (Jetton and Lazarus), 23
Atrophoderma; invisible dermatoses (Brownstein and Rabinowitz), 585 (Commentary)
Autoimmune bullous disorders in association with rheumatoid arthritis (Jorizzo and Daniels), 439
Autoimmunity as explanation of side effects of penicillamine (Levy et al), 548 (Clinical review)

B

Bacterial colonization, disseminate intradermal, presenting as palpable purpura in lymphoblastic leukemia (Shelley and Zolin), 714
  toe web infection, gram-negative; successful treatment with new third generation cephalosporin (Eaglstein et al), 225
Basal cell tumor with eccrine differentiation (Yus), 259 (Correspondence)
    reply (Winkelmann), 260 (Correspondence)
Biopsy, fetal skin, fetoscopy and, in antenatal diagnosis of genodermatoses (Esterly and Elias), 655 (Clinical review)
Blister formation, suction-induced, in insulin-dependent diabetics, reduced threshold to (Bernstein et al), 790
Bone disease, ichthyoses associated with (Rand and Baden), 298
Bony or visceral metastases, predictors of late deaths among patients with clinical stage I melanoma (Day et al), 864

January, pp. 1-140; February, pp. 141-284; March, pp. 285-438; April, pp. 439-588; May, pp. 589-762; June, pp. 763-934.

Book reviews, 138, 279, 437, 575, 762, 915
Boric acid–free products (Schillinger and Berstein), 758 (Correspondence)
Bullous manifestations, T cell chronic lymphocytic leukemia with (Côté et al), 874
pemphigoid, black male patients with lichen planus and (Mora et al), 331
cause of peripheral blood eosinophilia (Bushkell and Jordon), 648

C

Calcinosis cutis, unusual case of (Cochran and Wilkin), 103
Canthaxanthine deposits in eye (Rousseau), 123 (Correspondence)
Carcinoma, basal cell, local immune response in: characterization by transmission electron microscopy and monoclonal anti-T6 antibody (Murphy et al), 477
verrucous squamous cell, of foot (epithelioma cuniculatum), microscopically controlled surgery (Mohs' chemosurgery) for treatment of (Mora), 354
Cardiac and arthritic manifestations in patient with erythema marginatum associated with rheumatic fever (Troyer et al), 724
Cat, sporotrichosis acquired from (Nusbaum et al), 386
Cephalexin and dicloxacillin, comparison of, in treatment of staphylococcal skin infections (Dillon), 177
Cephalosporin, new third generation, successful treatment of gram-negative bacterial toe web infection with (Eaglstein et al), 225
Chancroid, treatment of (Borchers; Fitzpatrick), 128, 130 (Correspondence)
replies (Felman; Olansky; Hood), 130, 131, 132
Chemotaxis, neutrophil, in vivo suppression of, by systemically and topically administered tetracycline (Elewski et al), 807
Chemotherapy; recent advances in treatment of psoriasis (Farber et al), 315
Children, sexually abused, management of rape victims and; guidelines for sexually transmitted diseases, 604
Chlamydia trachomatis infections; guidelines for sexually transmitted diseases, 589
Chromoblastomycosis and phaeohyphomycosis: new concepts, diagnosis, and mycology (McGinnis), 1
Chromomycosis, treatment of, with ketoconazole and 5-fluorocytosine (Silber et al), 236
Circle hairs (Levit and Scott), 423 (Correspondence)
Clindamycin, topical, versus systemic tetracycline (Epstein; Levenson) 135; 431 (Correspondence)
replies (Raymond), 135; 432 (Correspondence)
Coal tar phototherapy for psoriasis reevaluated: erythemogenic versus suberythemogenic ultraviolet with tar extract in oil and crude coal tar (Lowe et al), 781
recent advances in treatment of psoriasis (Farber et al), 314
Collodion baby; ichthyoses (Rand and Baden), 293
Colon, perforation of, in high-dose corticosteroid therapy of pemphigus, intravenous adrenocorticotropic hormone (ACTH) or intravenous methyl prednisolone or both may prevent (Rabhan), 904 (Correspondence)
Comedones, perianal, and topical corticosteroids (Silver), 912 (Correspondence)
reply (Oliet and Estes), 912 (Correspondence)
Contact dermatitis caused by diphenhydramine hydrochloride (Coskey), 204
Contemporaries, 280, 745
Continuing medical education examination, 18, 148, 307, 458, 606, 777
answers, 17, 150, 306, 460, 605, 776
Corticosteroid(s) therapy for pernio (Ganor), 136 (Correspondence)
topical, perianal comedones and (Silver), 912 (Correspondence)
reply (Oliet and Estes), 912 (Correspondence)
Cowden's disease (multiple hamartoma and neoplasia syndrome) (Salem and Steck), 686
Cryosurgery, curettage in combination with (Kramer), 422 (Correspondence)
reply (Albright), 422 (Correspondence)
cutaneous, complications of (Elton), 513
neuropathy after (Zacarian), 422 (Correspondence)
reply (Albright), 422 (Correspondence)
Cryotherapy, liquid nitrogen, in case of elastosis perforans serpiginosa (Rosenblum), 718
Crystalline lamellae in endothelial cells of type of hemangioma characterized by proliferation of immature endothelial cells and pericytes—angioblastoma (Nakagawa) (Kumakiri et al), 68
Cupping: erstwhile common modality of therapy (King and Davis), 563 (Correspondence)
Curettage in combination with cryosurgery (Kramer), 422 (Correspondence)
reply (Albright), 422 (Correspondence)
and electrodesiccation in treatment of midfacial basal cell epithelioma (Salasche), 496
Cutaneous cryosurgery, complications of (Elton), 513
lesions, significance of, in malignant histiocytosis (Wick et al), 50
malignant melanoma, primary (Maize), 857
manifestations, review and; penicillamine (Levy et al), 548 (Clinical review)
sinus tracts of dental origin (Spear et al), 486
zygomycosis in patient with lymphoma (Bateman et al), 890
Cystic acne, flare of, from oral isotretinoin (Katz et al), 132 (Correspondence)
Cysts of Gardner's syndrome, epidermal, pilomatricoma-like changes in (Cooper and Fechner), 639
Cytologic features of elastosis perforans serpiginosa (EPS) associated with Down's syndrome (Crotty et al), 255 (Correspondence)

D

Dapsone helpful adjuvant to therapy of juvenile pemphigus (Ahmed and Salm), 799
Delusions of parasitosis (I yell), 895 (Editorial)
Demodex folliculorum of Simon (King et al), 907 (Correspondence)
reply (Aylesworth and Vance), 908 (Correspondence)
2-Deoxy-D-glucose, topical, for herpes simplex (Blough), 422 (Correspondence)
reply (McCray and Zugerman), 423 (Correspondence)
Dermatitis, allergic contact, to 2-bromo-2-nitropropane-1,3-diol in hydrophilic ointment (Storrs and Bell), 157
atopic, decreased release of lysosomal enzymes from peripheral leukocytes of patients with (Ring and Lutz), 378
dermatoglyphic patterns in patients with (Cusumano et al), 207
thymopoietin pentapeptide (TP-5) improves clinical parameters and lymphocyte subpopulations in (Kang et al), 372
contact, caused by diphenhydramine hydrochloride (Coskey), 204
hot tub; familial outbreak of *Pseudomonas* folliculitis (Silverman and Nieland), 153

Dermatitis—cont'd
human atopic, model for; pruritic dermatitis in asthmatic basenji-greyhound dogs (Butler et al), 33
pruritic, in asthmatic basenji-greyhound dogs: model for human atopic dermatitis (Butler et al), 33
spongiotic vesicular, diagnosis of, by Tzanck smear: "tadpole cell" (Pariser), 519
Dermatoglyphic patterns in patients with atopic dermatitis (Cusumano et al), 207
Dermatologic conditions reported in patients with rheumatoid arthritis (Jorizzo and Daniels), 439
manifestations of hepatitis B virus infection (McElgunn), 539 (Clinical review)
patients, real life morphologic changes of, enhanced with use of three-dimensional photography (Katz et al), 850
signs in toxic shock syndrome—clues to diagnosis (Bach), 343
Dermatologists, free identification of spiders for (Anderson), 562 (Correspondence)
should they be immunized against hepatitis B (Smith and Chalker), 252
Dermatology access, public education versus cost-effectiveness (Frankel), 911 (Correspondence)
Foundation: facts and fiction (Voorhees), 897 (Editorial)
Investigative, Society for: essential for future of specialty (Bauer et al), 117 (Editorial)
Pediatric, IXth Postgraduate Seminar in, Miami, FL, Feb. 25-28, 1982 (Hurwitz and Kahn), 271
Dermatomal superficial telangiectasia, unilateral (Wilkin et al), 468
Dermatopathology, contributors to (Wood), 125 (Correspondence)
reply (Everett), 125 (Correspondence)
1982 (Pierard; Kerl), 126 (Correspondence)
reply (Everett), 127 (Correspondence)
Dermatoses(is), invisible (Brownstein and Rabinowitz), 579 (Commentary)
pigmented and purpuric, lichen aureus one of rarest (Rudolph), 722
preexisting, in follow-up of fifty cases of erythroderma (Hasan and Jansén), 836
specific, of pregnancy (Holmes and Black), 405 (Clinical review)
DERM/MIS update (Kopf et al), 732 (Special article)
Dhobie, much-maligned (King et al), 258 (Correspondence)
reply (Livingood), 258 (Correspondence)
Diabetes mellitus, necrolytic migratory erythema associated with (El-Hoshy), 754 (Correspondence)
Diabetics, insulin-dependent, reduced threshold to suction-induced blister formation in (Bernstein et al), 790
Dialysis and psoriasis (Rapaport), 426 (Correspondence)
reply (Steck et al; Anderson), 426, 427 (Correspondence)
Dicloxacillin, cephalexin and, comparison of, in treatment of staphylococcal skin infections (Dillon), 177
Diet, nutrition, and allergy in atopic dermatitis (Hanifin), 729 (Editorial)
Diphenhydramine hydrochloride, contact dermatitis caused by (Coskey), 204
Disorders, hair, practical staining technic for differentiation of peripilar keratin casts from (Scott and Roenigk), 27
Dogs, basenji-greyhound, pruritic dermatitis in; model for human atopic dermatitis (Butler et al), 33
Down's syndrome, cytologic features of elastosis perforans serpiginosa (EPS) associated with (Crotty et al), 255 (Correspondence)
Drug(s), antiscabietic, resistance to (Hernandez-Perez), 121 (Correspondence)
reply (Taplin), 122 (Correspondence)
Drugs—cont'd
-associated erythema multiforme (Huff et al), 772
eruptions, fixed, pigmentary incontinence in (Masu and Seiji), 525
internal, reaction to, in follow-up of fifty cases of erythroderma (Hasan and Jansén), 836
topical, sensitization to, in follow-up of fifty cases of erythroderma (Hasan and Jansén), 836

E

Ear and eye disease, ichthyoses associated with (Rand and Baden), 298
Eccrine differentiation, basal cell tumor with (Yus), 259 (Correspondence)
reply (Winkelmann), 260 (Correspondence)
Eclipse, composition and SPF of (Robins), 907 (Correspondence)
Ectodermal dysplasia, anhidrotic; invisible dermatoses (Brownstein and Rabinowitz), 585 (Commentary)
Education, public, versus cost-effectiveness to dermatology access (Frankel), 911 (Correspondence)
Elastolysis, generalized, associated with systemic lupus erythematosus (Randle and Muller), 869
Elastosis perforans serpiginosa associated with Down's syndrome, cytologic features of (Crotty et al), 255 (Correspondence)
liquid nitrogen cryotherapy in case of (Rosenblum), 718
Electrodesiccation, curettage and, in treatment of midfacial basal cell epithelioma (Salasche), 496
Enteric infections; guidelines for sexually transmitted diseases, 602
Eosinophilia, peripheral blood, bullous pemphigoid cause of (Bushkell and Jordon), 648
Eosinophilic spongiosis: clinicopathologic review of seventy-one cases (Crotty et al), 337
Epidermodysplasia verruciformis, identification of three distinct papillomavirus genomes in single patient with (Ostrow et al), 398
Epidermolysis bullosa, Mr. Kozak's regime for (Katz et al), 565 (Correspondence)
recessive dystrophic, in patient with verruciform xanthoma (Cooper et al), 463
Epidermotrophic reticulosis, localized (Woringer-Kolopp disease), (Mandojana and Helwig), 813
Epithelioma cuniculatum (verrucous squamous cell carcinoma of foot), microscopically controlled surgery (Mohs' chemosurgery) for treatment of (Mora), 354
midfacial basal cell, curettage and electrodesiccation in treatment of (Salasche), 496
E rosette; in vitro analysis of lymphocytes (Keeling and Lewis), 241 (Clinical review)
EAC rosette; in vitro analysis of lymphocytes (Keeling and Lewis), 240 (Clinical review)
Eruptions, fixed drug, pigmentary incontinence in (Masu and Seiji), 525
Erythema marginatum in rheumatic fever: early diagnosis by skin biopsy (Troyer et al), 724
multiforme: critical review of characteristics, diagnostic criteria, and causes (Huff et al), 763
HLA-B15 association with (Duvic et al), 493
and ketotifen (Goihman-Yahr et al), 429 (Correspondence)
necrolytic migratory, associated with diabetes mellitus (El-Hoshy), 754 (Correspondence)
Erythroderma: follow-up of fifty cases (Hasan and Jansén), 836
Erythrokeratodermia variabilis; ichthyoses (Rand and Baden), 292
Etretinate, successful treatment of keratodermia palmoplantare papuloverrucoides progressiva with (Baran and Juhlin), 700

Etretinate—cont'd
therapy for psoriasis: clinical responses, remission times, epidermal DNA and polyamine responses (Kaplan et al), 95
Excited skin syndrome, angry back or (Bruynzeel et al), 392
Eye, canthaxanthine deposits in (Rousseau), 123 (Correspondence)
and ear disease, ichthyoses associated with (Rand and Baden), 298
Eyelids, glaucoma following prolonged use of topical steroid medication to (Eisenlohr), 878

F

Factitious cheilitis (Thomas et al), 368
Fatty acid deficiency, essential, after intestinal bypass (Presser et al), 127 (Correspondence)
Fc receptors; in vitro analysis of lymphocytes (Keeling and Lewis), 244 (Clinical review)
Fetal complications in herpes gestationis, (Shornick et al), 214
skin, morphogenesis and biochemistry of; antenatal diagnosis of genodermatoses (Esterly and Elias), 655 (Clinical review)
Fetoscopy and fetal skin biopsy in antenatal diagnosis of genodermatoses (Esterly and Elias), 655 (Clinical review)
Fluid and protein, transvascular transport and distribution of, in psoriasis (Staberg et al), 193
5-Fluorocytosine, disseminate sporotrichosis of skin and bone cured with; photosensitivity as complication (Shelley and Sica), 229
treatment of chromomycosis with ketoconazole and (Silber et al), 236
Folliculitis, perforating, in peritoneal and hemodialysis (Hurwitz), 559 (Correspondence)
reply (Huntley), 560 (Correspondence)
Pseudomonas, familial outbreak of; hot tub dermatitis (Silverman and Nieland), 153
Fungal infections in Chicago, epidemic of infection with *Trichophyton tonsurans* revealed in 20-year survey of (Bronson et al), 322
Fungi, dematiaceous, nomenclature for mycoses caused by (McGinnis), 1

G

Gardner's syndrome, pilomatricoma-like changes in epidermal cysts of (Cooper and Fechner), 639
Genodermatoses, antenatal diagnosis of (Esterly and Elias), 655 (Clinical review)
Glaucoma following prolonged use of topical steroid medication to eyelids (Eisenlohr), 878
Glucocorticosteroid ointments, topical, once-daily treatment of psoriasis with (Lane et al), 523
Gonococcal infections; guidelines for sexually transmitted diseases, 590
Granuloma(s) faciale: treatment with topical psoralen and UVA (Hudson), 559 (Correspondence)
Majocchi's, source of (Lepage), 260 (Correspondence)
reply (Weigand), 260 (Correspondence)
palisading, differential staining pattern of lysozyme in: immunoperoxidase study (Padilla et al), 634
pyogenic (lobular capillary hemangioma) within port-wine stains (Swerlick and Cooper), 627

H

Haemophilus ducreyi infection; guidelines for sexually transmitted diseases, 601
Hair(s) casts: classification, staining characteristics, and differential diagnosis (Scott and Roenigk), 27
Hair(s)—cont'd
circle (Levit and Scott), 423 (Correspondence)
disease, ichthyoses associated with (Rand and Baden), 296
examination using double-stick tape (Shelley), 430 (Correspondence)
Hamartoma, multiple, and neoplasia syndrome (Cowden's disease) (Salem and Steck), 686
Harlequin fetus; ichthyoses (Rand and Baden), 293
Hemangioma, lobular capillary (pyogenic granuloma) within port-wine stains (Swerlick and Cooper), 627
type of, characterized by proliferation of immature endothelial cells and pericytes—angioblastoma, crystalline lamellae in endothelial cells of (Nakagawa) (Kumakiri et al), 68
Hemodialysis, peritoneal and, perforating folliculitis in (Hurwitz), 559 (Correspondence)
reply (Huntley), 560 (Correspondence)
Heparin injections, perilesional, for necrobiosis lipoidica (Wilkin), 904 (Correspondence)
reply (Lazarus and Jetton), 904 (Correspondence)
therapy, minidose, for vasculitis of atrophie blanche (Jetton and Lazarus), 23
Hepatic disease, chronic, in alcoholism, acquired unilateral dermatomal superficial telangiectasia in (Wilkin et al), 468
Hepatitis B, should dermatologists be immunized against (Smith and Chalker), 252 (Editorial)
virus infection, dermatologic manifestations of (McElgunn), 539 (Clinical review)
Hereditary disorders of keratinization—ichthyoses (Rand and Baden), 285
Herpes-associated erythema multiforme (Huff et al), 771
gestationis: clinical and histologic features of twenty-eight cases (Shornick et al), 214
(pemphigoid gestationis); specific dermatoses of pregnancy (Holmes and Black), 405 (Clinical review)
simplex, topical 2-deoxy-D-glucose for (Blough), 422 (Correspondence)
reply (McCray and Zugerman), 423 (Correspondence)
virus infections, genital; guidelines for sexually transmitted diseases, 597
Herpesvirus infections, unusual treatments for; herpes zoster (Thiers), 433
Histiocytosis, cutaneous malignant: clinical and histopathologic study of eight cases, with immunohistochemical analysis (Wick et al), 50
X and skin scraping cytology (Storer et al), 913 (Correspondence)
HLA-B15 association with erythema multiforme (Duvic et al), 493
HLA-DR4, association of, with vitiligo (Foley et al), 39
Homosexual men, Kaposi's sarcoma in: immunohistochemical study (Modlin et al), 620
Hot tub dermatitis: familial outbreak of *Pseudomonas* folliculitis (Silverman and Nieland), 153
Hydroa vacciniforme: induction of lesions with ultraviolet A (Halasz et al), 171
Hydrocortisone, in vivo percutaneous absorption of, in psoriatic patients and normal volunteers (Wester et al), 645
Hydroquinone bleaching cream, proprietary, localized exogenous ochronosis due to use of (Cullison et al), 882
Hydroxychloroquine, treatment of cutaneous pseudolymphoma with (Stoll), 696
Hypercalcemia of unknown etiology, case of calcinosis cutis presented in patient with (Cochran and Wilkin), 103

Hyperpigmentation, epidermal; invisible dermatoses (Brownstein and Rabinowitz), 586 (Commentary)
Hyperplasia, sebaceous gland, premature (Bhawan and Calhoun), 136 (Correspondence)
Hypopigmentation; invisible dermatoses (Brownstein and Rabinowitz), 586 (Commentary)

I

Ichthyosis(es) linearis circumflexa, successful therapy of, with PUVA (Manabe et al), 905 (Correspondence)
review (Rand and Baden), 285
vulgaris; invisible dermatoses (Brownstein and Rabinowitz), 581 (Commentary)
Idiopathic atrophie blanche (Shornick et al), 792
Immune response, local, in basal cell carcinoma: characterization by transmission electron microscopy and monoclonal anti-T6 antibody (Murphy et al), 477
Immunodeficiency, ichthyoses associated with (Rand and Baden), 299
Immunoglobulin, surface; in vitro analysis of lymphocytes (Keeling and Lewis), 240 (Clinical review)
Immunoperoxidase technic, monoclonal antibodies and, used in study of lymphocyte subsets in tissues of patients with leprosy (Modlin et al), 182
Implantation, wood, with phaeomycotic contamination (Coskey et al), 428 (Correspondence)
Infants, Kasabach-Merritt syndrome in (Esterly), 504
Infection(s), gram-negative bacterial toe web, successful treatment with new third generation cephalosporin (Eaglstein et al), 225
hepatitis B virus, dermatologic manifestations of (McElgunn), 539 (Clinical review)
herpesvirus, unusual treatments for; herpes zoster (Thiers), 433
mycotic, phaeohyphomycosis collective term for heterogenous group of (McGinnis), 1
sporotrichoid mycobacterial (Glickman), 703
staphylococcal skin, treatment of; comparison of cephalexin and dicloxacillin (Dillon), 177
with *Trichophyton tonsurans*, epidemic of, revealed in 20-year survey of fungal infections in Chicago (Bronson et al), 322
Inflammatory response, density of, prognostic significance in primary cutaneous malignant melanoma (Maize), 857
Intestinal bypasss, essential fatty acid deficiency after (Presser et al), 127 (Correspondence)
Isotretinoin, oral, flare of cystic acne from (Katz et al), 132 (Correspondence)

J

Juvenile pemphigus (Ahmed and Salm), 799

K

Kaposi's sarcoma in homosexual men: immunohistochemical study (Modlin et al), 620
Kasabach-Merritt syndrome in infants (Esterly), 504
Keratinization, hereditary disorders of—ichthyoses (Rand and Baden), 285
Keratodermia palmoplantare papuloverrucoides progressiva: successful treatment with etretinate (Baran and Juhlin), 700
Keratoses(is), solitary and multiple, large cell acanthomas considered in differential diagnosis of (Rabinowitz), 840
spreading pigmented actinic (Subrt et al), 63
Ketoconazole and 5-fluorocytosine, treatment of chromomycosis with (Silber et al), 236
Ketotifen, erythema multiforme and (Goihman-Yahr et al), 429 (Correspondence)
Kozak's regime for epidermolysis bullosa (Katz et al), 565 (Correspondence)

L

Lamellae, crystalline, in endothelial cells of type of hemangioma characterized by proliferation of immature endothelial cells and pericytes—angioblastoma (Nakagawa) (Kumakiri et al), 68
Lay groups and the Society for Investigative Dermatology (Pessar), 903 (Correspondence)
reply (Bauer et al), 903 (Correspondence)
Lentiginosis, partial unilateral, in black patient with sickle cell anemia (Hughes et al), 563 (Correspondence)
Leprosy, T lymphocyte subsets in skin lesions of patients with (Modlin et al), 182
Leukemia, lymphoblastic, disseminate intradermal bacterial colonization presenting as palpable purpura in (Shelley and Zolin), 714
T cell chronic lymphocytic, with bullous manifestations (Côté et al), 874
Leukocytes, peripheral, of patients with atopic dermatitis, decreased release of lysosomal enzymes from (Ring and Lutz), 378
Lichen aureus (Rudolph), 722
vascular abnormalities in (Reinhardt et al), 417
planus pemphigoides: clinical and immunofluorescent findings in four cases (Mora et al), 331
Lipoatrophy; invisible dermatoses (Brownstein and Rabinowitz), 586 (Commentary)
Lunulae, red, in patient with rheumatoid arthritis (Jorizzo et al), 711
Lupus erythematosus, generalized elastolysis associated with (Randle and Muller), 869
and psoriasis, serologic studies in patients with (Kulick et al), 631
patients, antinuclear antibody determinations in Ro(SSA-positive, antinuclear antibody–negative Sjögren's syndrome patients and (Doré et al), 611
Lymphangioma, acquired progressive (Watanabe et al), 663
Lymphoblastic leukemia, disseminate intradermal bacterial colonization presenting as palpable purpura in (Shelley and Zolin), 714
Lymphocytes, in vitro analysis of: markers and functions (Keeling and Lewis), 239 (Clinical review)
Lymphocytic leukemia, T cell chronic, with bullous manifestations (Côté et al), 874
Lymphogranuloma venereum; guidelines for sexually transmitted diseases, 601
Lymphoma, cutaneous malignant, differentiation between cutaneous pseudolymphoma and; treatment of cutaneous pseudolymphoma with hydroxychloroquine (Stoll), 696
zygomycosis in patient with (Bateman et al), 890
unique; mycosis fungoides (Zackheim), 256 (Correspondence)
reply (Thiers), 257 (Correspondence)
Lymphomatoid papulosis, clinicopathologic spectrum of; study of 31 cases (Sanchez et al), 81
Lysosomal enzymes; decreased release of, from peripheral leukocytes of patients with atopic dermatitis (Ring and Lutz), 378

Lysozyme, differential staining pattern of, in palisading granulomas: immunoperoxidase study (Padilla et al), 634

M

Majocchi's granuloma, source of (Lepage), 260 (Correspondence)
reply (Weigand), 260 (Correspondence)
Malignant melanoma, regression in (Trau et al), 363
Mastocytosis; invisible dermatoses (Brownstein and Rabinowitz), 582 (Commentary)
systemic, or urticaria pigmentosa (Roupe et al), 137 (Correspondence)
Maternal complications in herpes gestationis (Shornick et al), 214
Meclofenamate (Meclomen) therapy of psoriasis (Ellis and Voorhees), 759 (Correspondence)
Melanocytosis, dermal; invisible dermatoses (Brownstein and Rabinowitz), 583 (Commentary)
Melanoma, clinical stage I, predictors of late deaths among patients with (Day et al), 864
malignant, regression in (Trau et al), 363
primary cutaneous malignant (Maize), 857
2-Mercaptopropionylglycine, pemphigus foliaceus and proteinuria induced by (Lucky et al), 667
Metastases, visceral or bony, predictors of late deaths among patients with clinical stage I melanoma (Day et al), 864
Methotrexate-induced necrolysis (Reed and Sober), 677
Methyl prednisolone, intravenous, or intravenous adrenocorticotropic hormone (ACTH) or both may prevent perforation of colon in high-dose corticosteroid therapy of pemphigus (Rabhan), 904 (Correspondence)
Mibelli, porokeratosis of, treatment with topical 5-fluorouracil (McDonald and Peterka), 107
Minocycline, fixed drug eruption due to—report of one case (LePaw), 263 (Correspondence)
Mitotic rate of prognostic significance in primary cutaneous malignant melanoma (Maize), 857
Mohs' chemosurgery (microscopically controlled surgery) for treatment of verrucous squamous cell carcinoma of foot (epithelioma cuniculatum) (Mora), 354
Monoclonal antibody(ies), anti-T6, local immune response in basal cell carcinoma: characterization by transmission electron microscopy and (Murphy et al), 477
in vitro analysis of lymphocytes (Keeling and Lewis), 245 (Clinical review)
murine, which binds to malignant keratinocytes to detect tumor cells in microscopically controlled surgery, use of (Oseroff et al), 616
Monsel('s) solution, silver nitrate and, radiographic artifacts produced by (Horn et al), 560 (Correspondence)
tattooing (Camisa and Roberts), 753 (Correspondence)
Morphologic detail, significant, captured with use of three-dimensional photography (Katz et al), 850
Mucinosis, reticular erythematous, versus plaquelike cutaneous (Bleehen and Slater), 125 (Correspondence)
Mycobacterial infections, sporotrichoid (Glickman), 703
Mycoplasma-associated erythema multiforme (Huff et al), 772
Mycoses(is) caused by dematiaceous fungi, nomenclature for (McGinnis), 1
fungoides; erythroderma: follow-up of fifty cases (Hasan and Jansén), 836
is it a unique lymphoma (Zackheim), 256 (Correspondence)
reply (Thiers), 257 (Correspondence)
prolonged topical maintenance therapy for (Zackheim), 562 (Correspondence)

N

Nail fold capillary microscopy (Glickman), 262 (Correspondence)
reply (Minkin), 262 (Correspondence)
Necrobiosis lipoidica, perilesional heparin injections for (Wilkin), 904 (Correspondence)
reply (Lazarus and Jetton), 904 (Correspondence)
Necrolysis, methotrexate-induced (Reed and Sober), 677
Necrolytic migratory erythema associated with diabetes mellitus (El-Hoshy), 754 (Correspondence)
Neoplasia syndrome, multiple hamartoma and (Cowden's disease) (Salem and Steck), 686
Neuralgia, postherpetic, emphasis on use of pimozide in (Duke), 845
Neurologic disease associated with ichthyoses (Rand and Baden), 295
Neuropathy after cryosurgery (Zacarian), 422 (Correspondence)
reply (Albright), 422 (Correspondence)
Neurotic excoriations, use of pimozide in severe cases of (Duke), 845
Neutrophil chemotaxis, in vivo suppression of, by systemically and topically administered tetracycline (Elewski et al), 807
Nevus(i), congenital pilar and smooth muscle (Bronson et al), 111
elasticus; invisible dermatoses (Brownstein and Rabinowitz), 585 (Commentary)
multiple agminated spindle cell: unique clinical presentation and review (Lancer et al), 707
Nitrogen, liquid, cryotherapy, in case of elastosis perforans serpiginosa (Rosenblum), 718
Noah Worcester Dermatological Society, Twenty-fifth Annual Meeting, Key Biscayne, FL, March 7-13, 1982 (Gross et al), 568
Nutrition, diet, and allergy in atopic dermatitis (Hanifin), 729 (Editorial)

O

Ochronosis due to hydroquinone (O'Donoghue et al), 123 (Correspondence)
localized exogenous (Cullison et al), 882
Ointment(s), hydrophilic, allergic contact dermatitis to 2-bromo-2-nitropropane-1,3-diol in (Storrs and Bell), 157
topical glucocorticosteroid, once-daily treatment of psoriasis with (Lane et al), 523
Onchocerciasis; invisible dermatoses (Brownstein and Rabinowitz), 583 (Commentary)
Onychomycosis, vitamin E and (Goldsmith), 910 (Correspondence)
Ophthalmia neonatorum; guidelines for sexually transmitted diseases, 603
Oral cavity, frequent involvement of, in juvenile pemphigus (Ahmed and Salm), 799

P

Papillomavirus genomes, three distinct, identification of, in single patient with epidermodysplasia verruciformis (Ostrow et al), 398
Papulosis, lymphomatoid, clinicopathologic spectrum of; study of 31 cases (Sanchez et al), 81
Parasitosis, delusions of (Lyell), 895 (Editorial)
pimozide effective in treatment of (Duke), 845
Pediatric Dermatology, IXth Postgraduate Seminar in, Miami, FL, Feb. 25-28, 1982 (Hurwitz and Kahn), 271
Pediculosis pubis; guidelines for sexually transmitted diseases, 602
therapy (Polano), 120 (Correspondence)
reply (Taplin), 120 (Correspondence)

Pemphigus foliaceus and proteinuria induced by α-mercaptopropionylglycine (Lucky et al), 667
high-dose corticosteroid therapy of, intravenous adrenocorticotropic hormone (ACTH) or intravenous methyl prednisolone or both may prevent perforation of colon in (Rabhan), 904 (Correspondence)
juvenile (Ahmed and Salm), 799
lesions, early, eosinophilic spongiosis in (Crotty et al), 337
Penicillamine: review and cutaneous manifestations (Levy et al), 548 (Clinical review)
Pericardial effusion, multicentric reticulohistiocytosis with salivary gland involvement and (Furey et al), 679
Peripilar keratin casts and peripilar nonkeratin casts, clinical and microscopic characteristics of (Scott and Roenigk), 27
staining technic for differentiation from other hair disorders (Scott and Roenigk), 27
Peritoneal and hemodialysis, perforating folliculitis in (Hurwitz), 559 (Correspondence)
reply (Huntley), 560 (Correspondence)
Pernio, corticosteroid therapy for (Ganor), 136 (Correspondence)
Phaeohyphomycosis, chromoblastomycosis and; new concepts, diagnosis, and mycology (McGinnis), 1
Phaeomycotic contamination, wood implantation with (Coskey et al), 428 (Correspondence)
Photoallergy, phototoxicity and, in man (Epstein), 141
Photography system, three-dimensional, for dermatologic diagnosis (Katz et al), 850
Photosensitivity as complication in disseminate sporotrichosis of skin and bone cured with 5-fluorocytosine (Shelley and Sica), 229
phototoxicity and photoallergy in man (Epstein), 141
to saccharin (Gordon), 565 (Correspondence)
Phototherapy, coal tar, for psoriasis reevaluated: erythemogenic versus suberythemogenic ultraviolet with tar extract in oil and crude coal tar (Lowe et al), 781
Phototoxicity and photoallergy in man (Epstein), 141
Pigmentary incontinence in fixed drug eruptions (Masu and Seiji), 525
Pilar and smooth muscle nevus, congenital (Bronson et al), 111
Pilomatricoma-like changes in epidermal cysts of Gardner's syndrome (Cooper and Fechner), 639
Pimozide, clinical experience with: emphasis on its use in postherpetic neuralgia (Duke), 845
Plasmapheresis in treatment of psoriasis (Clemmensen et al), 190
Polyamine biosynthesis accelerated in patients with psoriasis vulgaris; etretinate therapy for psoriasis (Kaplan et al), 95
Polymorphic eruption of pregnancy; specific dermatoses of pregnancy (Holmes and Black), 405 (Clinical review)
Porokeratosis, disseminated superficial actinic; invisible dermatoses (Brownstein and Rabinowitz), 581 (Commentary)
(Mibelli): treatment with topical 5-fluorouracil (McDonald and Peterka), 107
punctate (Herman), 257 (Correspondence)
Porphyria, acute variegate, following Scarsdale Gourmet Diet (Quiroz-Kendall et al), 46
variegate, importance of correct diagnosis in (Poh-Fitzpatrick), 115 (Editorial)
Pregnancy in patients with herpes gestationis (Shornick et al), 214
specific dermatoses of (Holmes and Black), 405 (Clinical review)
Propionibacterium acnes resistance to antibiotics in acne patients (Leyden et al), 41
Protein, fluid and, transvascular transport and distribution of, in psoriasis (Staberg et al), 193
Proteinuria, pemphigus foliaceus and, induced by α-mercaptopropionylglycine (Lucky et al), 667
Prurigo of pregnancy; specific dermatoses of pregnancy (Holmes and Black), 405 (Clinical review)
Pruritic dermatitis in asthmatic basenji-greyhound dogs: model for human atopic dermatitis (Butler et al), 33
folliculitis of pregnancy; specific dermatoses of pregnancy (Holmes and Black), 405 (Clinical review)
Pseudolymphoma, cutaneous, treatment of, with hydroxychloroquine (Stoll), 696
Pseudomonas folliculitis, familial outbreak of; hot tub dermatitis (Silverman and Nieland), 153
Pseudoxanthoma elasticum, clinical and histologic picture in unusual case of calcinosis cutis compared with (Cochran and Wilkin), 103
Psoralen-containing sunscreen is tumorigenic in hairless mice (Cartwright and Walter), 830
Psoralen(s), topical, and UVA, treatment of granuloma faciale with (Hudson), 559 (Correspondence)
and ultraviolet A; recent advances in treatment of psoriasis (Farber et al), 316
successful therapy of ichthyosis linearis circumflexa with (Manabe et al), 905 (Correspondence)
therapy; position paper (Bickers), 265 (Special report)
Psoriasis, aryl hydrocarbon hydroxylase in (Lyell), 260 (Correspondence)
call for twin pairs with (Farber), 758 (Correspondence)
coal tar phototherapy for, reevaluated: erythemogenic versus suberythemogenic ultraviolet with tar extract in oil and crude coal tar (Lowe et al), 781
dialysis and (Rapaport), 426 (Correspondence)
reply (Steck et al; Anderson), 426, 427 (Correspondence)
etretinate therapy for: clinical responses, remission times, epidermal DNA and polyamine responses (Kaplan et al), 95
lupus erythematosus and, serologic studies in patients with (Kulick et al), 631
meclofenamate (Meclomen) therapy of (Ellis and Voorhees), 759 (Correspondence)
once-daily treatment of, with topical glucocorticosteroid ointments (Lane et al), 523
plasmapheresis in treatment of (Clemmensen et al), 190
recent advances in treatment of (Farber et al), 311
transvascular transport and distribution of fluid and protein in (Staberg et al), 193
and vitiligo (Powell and Dicken), 136 (Correspondence)
reply (Koransky and Roenigk), 137 (Correspondence)
Psoriatic patients and normal volunteers, in vivo percutaneous absorption of hydrocortisone in (Wester et al), 645
Public education versus cost-effectiveness to dermatology access (Frankel), 911 (Correspondence)
Punctate porokeratosis (Herman), 257 (Correspondence)
Purpura, palpable, in lymphoblastic leukemia, disseminate intradermal bacterial colonization presenting as (Shelley and Zolin), 714
Pyogenic granuloma (lobular capillary hemangioma) within port-wine stains (Swerlick and Cooper), 627

Q

Queries (Cohen), 912 (Correspondence)
reply (Smith), 912 (Correspondence)

R

Radiographic artifacts produced by silver nitrate and Monsel's solution (Horn et al), 560 (Correspondence)

Rape victims and sexually abused children, management of; guidelines for sexually transmitted diseases, 604
Reticulohistiocytosis, multicentric, with salivary gland involvement and pericardial effusion (Furey et al), 679
Reticulosis, localized epidermotropic (Woringer-Kolopp disease) (Mandojana and Helwig), 813
13-*cis*-Retinoic acid, oral, effect of, at three dose levels on sustainable rates of sebum secretion and on acne (Stewart et al), 532
Retinoids; recent advances in treatment of psoriasis (Farber et al), 317
in treatment of ichthyoses (Rand and Baden), 300
Reviewers for volumes 7 and 8, 900
Rheumatic fever, erythema marginatum in: early diagnosis by skin biopsy (Troyer et al), 724
Rheumatoid arthritis, dermatologic conditions reported in patients with (Jorizzo and Daniels), 439
red lunulae in patient with (Jorizzo et al), 711
Robinson, sudamina of (King and King), 910 (Correspondence)
reply (Sperling), 910 (Correspondence)

S

Saccharin, photosensitivity to (Gordon), 565 (Correspondence)
Salivary gland involvement and pericardial effusion, multicentric reticulohistiocytosis with (Furey et al), 679
Scabies; guidelines for sexually transmitted diseases, 602
Scabietic, anti-, drugs, resistance to (Hernandez-Perez), 121 (Correspondence)
reply (Taplin), 122 (Correspondence)
Scarsdale Gourmet Diet, acute variegate porphyria following (Quiroz-Kendall et al), 46
Sebaceous gland hyperplasia, premature (Bhawan and Calhoun), 136 (Correspondence)
Sebum secretion and acne, effect of oral 13-*cis*-retinoic acid at three dose levels on sustainable rates of (Stewart et al), 532
sustainable rates of, in acne patients and matched normal control subjects (Harris et al), 200
Sensitivity to α-amylcinnamic aldehyde and α-amylcinnamic alcohol (Guin and Haffley), 76; 397 (correction)
Sexually transmitted diseases, guidelines for, 589
Shampoo, sulfur-salicylic, treatment of tinea versicolor with (Bamford), 211
Shelley, Walter B., M.D., Ph.D., 280 (Contemporaries)
Sickle cell anemia, partial unilateral lentiginosis in black patient with (Hughes et al), 563 (Correspondence)
Silver nitrate and Monsel's solution, radiographic artifacts produced by (Horn et al), 560 (Correspondence)
Simon, *Demodex folliculorum* of (King et al), 907 (Correspondence)
reply (Aylesworth and Vance), 908 (Correspondence)
Sinus tracts to chin and jaw of dental origin (Spear et al), 486
Sjögren's syndrome patients, antinuclear antibody determinations in Ro(SSA)-positive, antinuclear antibody–negative lupus patients and (Doré et al), 611
Skin scraping cytology, histiocytosis X and (Storer et al), 913 (Correspondence)
Society for Investigative Dermatology: essential for future of specialty (Bauer et al), 117 (Editorial)
lay groups and (Pessar), 903 (Correspondence)
reply (Bauer et al), 903 (Correspondence)
Spiders, free identification of, for dermatologists (Anderson), 562 (Correspondence)
Spiegler-Fendt, cutaneous pseudolymphoma of, successfully treated with antimalarials; treatment of cutaneous pseudolymphoma with hydroxychloroquine (Stoll), 696
Spindle cell nevi, multiple agminated: unique clinical presentation and review (Lancer et al), 707
Spongiosis, eosinophilic: clinicopathologic review of seventy-one cases (Crotty et al), 337
Spongiotic vesicular dermatitis, diagnosis of, by Tzanck smear: "tadpole cell" (Pariser), 519
Sporotrichoid mycobacterial infections (Glickman) 703
Sporotrichosis acquired from cat (Nusbaum et al), 386
disseminate, of skin and bone cured with 5-fluorocytosine: photosensitivity as complication (Shelley and Sica), 229
of skin with spontaneous cure—report of second case (Bargman), 261 (Correspondence)
Stain, better, for Tzanck smears (Olansky), 908
Staphylococcal skin infections, treatment of; comparison of cephalexin and dicloxacillin (Dillon), 177
Steroid medication, topical, to eyelids, glaucoma following prolonged use of (Eisenlohr), 878
therapy, prolonged topical, complications from (Leu), 425 (Correspondence)
Stratum corneum thickness in children and adults, comparison of (Fairley and Rasmussen), 652
Suction-induced blister formation in insulin-dependent diabetics, reduced threshold to (Bernstein et al), 790
Sudamina of Robinson (King and King), 910 (Correspondence)
reply (Sperling), 910 (Correspondence)
Sulfur-salicylic shampoo, treatment of tinea versicolor with (Bamford), 211
Sunflower oil, topical, sunscreening effect of (Sutton), 909 (Correspondence)
Sun protection factor, composition and, in Eclipse (Robins), 907 (Correspondence)
Sunscreen, psoralen-containing, tumorigenic in hairless mice (Cartwright and Walter), 830
Sunscreening effect of topical sunflower oil (Sutton), 909 (Correspondence)
Syphilis; guidelines for sexually transmitted diseases, 598

T

"Tadpole cell"; diagnosis of spongiotic vesicular dermatitis by Tzanck smear (Pariser), 519
Tar vitiligo therapy (Urbanek), 755 (Correspondence)
Tattooing, Monsel solution (Camisa and Roberts), 753 (Correspondence)
T cell chronic lymphocytic leukemia with bullous manifestations (Côté et al), 874
subsets, identification of; in vitro analysis of lymphocytes (Keeling and Lewis), 243 (Clinical review)
Telangiectasia, unilateral dermatomal superficial (Wilkin et al), 468
TENS electrode irritation (Bolton), 134 (Correspondence)
reply (Zugerman), 135 (Correspondence)
Tetracycline, systemic, topical clindamycin versus (Epstein; Levenson), 135; 431 (Correspondence)
reply (Raymond), 135; 432 (Correspondence)
systemically and topically administered, in vivo suppression of neutrophil chemotaxis by (Elewski et al), 807
Therapy, minidose heparin, for vasculitis of atrophie blanche (Jetton and Lazarus), 23
Thymopoietin pentapeptide (TP-5) improves clinical parameters and lymphocyte subpopulations in atopic dermatitis (Kang et al), 372
Tinea; invisible dermatoses (Brownstein and Rabinowitz), 580 (Commentary)

Tinea—cont'd
versicolor, treatment of, with sulfur-salicylic shampoo (Bamford), 211
T lymphocyte subsets in skin lesions of patients with leprosy (Modlin et al), 182
Toe web infection, gram-negative bacterial; successful treatment with new third generation cephalosporin (Eaglstein et al), 225
Toxic-metabolic effect on connective tissue as explanation of side effects of penicillamine (Levy et al), 548 (Clinical review)
Toxic shock syndrome, dermatologic signs in—clues to diagnosis (Bach), 343
Transvascular transport and distribution of fluid and protein in psoriasis (Staberg et al), 193
Trichomoniasis; guidelines for sexually transmitted diseases, 597
Trichophyton tonsurans, epidemic of infection with, revealed in 20-year survey of fungal infections in Chicago (Bronson et al), 322
Tumor cells, detection of, with use of murine monoclonal antibody which binds to malignant keratinocytes, in microscopically controlled surgery (Oseroff et al), 616
development in hairless mice with use of psoralen-containing sunscreen (Cartwright and Walter), 830
thickness, maximum, most important and reproducible factor for predicting survival in primary cutaneous malignant melanoma (Maize), 857
Twin pairs with psoriasis, call for (Farber), 758 (Correspondence)
Tzanck smear(s), better stain for (Olansky), 908 (Correspondence)
reply (Wheeland), 908 (Correspondence)
diagnosis of spongiotic vesicular dermatitis by: "tadpole cell" (Pariser), 519
quick (Wheeland et al), 258 (Correspondence)

U

Ulceration important prognostic indicator in primary cutaneous malignant melanoma (Maize), 857
Ulcers, unilateral and bilateral; moist wound healing under vapor permeable membrane (Alper et al), 347
Ultraviolet A, induction of lesions with; hydroa vacciniforme (Halasz et al), 171
and topical psoralen, treatment of granuloma faciale with (Hudson), 559 (Correspondence)
B is additive when repeated within 8-hour interval (Colsky et al), 760 (Correspondence)
radiation; recent advances in treatment of psoriasis (Farber et al), 316
Urticaria; invisible dermatoses (Brownstein and Rabinowitz), 585 (Commentary)
Urticaria—cont'd
pigmentosa or systemic mastocytosis (Roupe et al), 137 (Correspondence)

V

Vapor permeable membrane, moist wound healing under (Alper et al), 347
Variegate porphyria, acute, following Scarsdale Gourmet Diet (Quiroz-Kendall et al), 46
importance of correct diagnosis in (Poh-Fitzpatrick), 115 (Editorial)
Vascular abnormalities in lichen aureus (Reinhardt et al), 417
Vasculitis of atrophie blanche, minidose heparin therapy for (Jetton and Lazarus), 23
various forms of, in association with rheumatoid arthritis (Jorizzo and Daniels), 439
Verruciform xanthoma (Cooper et al), 463
Virus infection, hepatitis B, dermatologic manifestations of (McElgunn), 539 (Clinical review)
Visceral or bony metastases, predictors of late deaths among patients with clinical stage I melanoma (Day et al), 864
involvement, importance of, in malignant histiocytosis (Wick et al), 50
Vitamin E and onychomycosis (Goldsmith), 910 (Correspondence)
as useful therapeutic agent (Ayres and Mihan), 133 (Correspondence)
Vitiligo, association of HLA-DR4 with (Foley et al), 39
and psoriasis (Powell and Dicken), 136 (Correspondence)
reply (Koransky and Roenigk), 137 (Correspondence)
therapy, tar (Urbanek), 755 (Correspondence)
Vulvitis circumscripta plasmacellularis (Davis et al), 413

W

Warts, anogenital (condylomata acuminata); guidelines for sexually transmitted diseases, 597
Warty condition of umbilicus (White), 421 (Correspondence)
Wilson's disease, treatment of; penicillamine: review and cutaneous manifestations (Levy et al), 548 (Clinical review)
Wood implantation with phaeomycotic contamination (Coskey et al), 428 (Correspondence)
Wound healing, moist, under vapor permeable membrane (Alper et al), 347

Z

Zoon's vulvitis; vulvitis circumscripta plasmacellularis (Davis et al), 413
Zygomycosis, cutaneous, in patient with lymphoma (Bateman et al), 890